
References

1. Dyrssen, D.; Wedborg, M. The Sulfur–Mercury (II) System in Natural Waters. *Water, Air, Soil Pollut.* **1991**, *56*, 507–519.
2. Nuttall, K.L. A Model for Metal Selenide Formation under Biological Conditions. *Med. Hypoth.* **1987**, *24*, 217–221.
3. Center for Air Toxic Metals. *Center for Air Toxic Metals 2005 Annual Report*; Annual Report of the Center for Air Toxic Metals, organized and administered through the University of North Dakota Energy & Environmental Research Center, for U.S. Environmental Protection Agency Contract No. R 827649-01; 2006.
4. Paulsson, K.; Lindbergh, K. The Selenium Method for Treatment of Lakes for Elevated Levels of Mercury in Fish. *Sci. Total Environ.* **1989**, *87–88*, 495–507.
5. Southworth, G.R.; Peterson, M.J.; Turner, R.R. Changes in Concentrations of Selenium and Mercury in Largemouth Bass Following Elimination of Fly Ash Discharge to a Quarry. *Chemosph.* **1994**, *29* (1), 71–79.
6. Chen, Y.-W.; Belzile, N.; Gunn, J.M. Antagonistic Effect of Selenium on Mercury Assimilation by Fish Populations near Sudbury Metal Smelters? *Limnol. Oceanogr.* **2001**, *46* (7), 1814–1818.
7. Belzile, N.; Chen, Y.-W.; Gunn, J.M.; Tong, J.; Alarie, Y.; Delonchamp, T.; Yang, C.-Y. The Effect of Selenium on Mercury Assimilation by Freshwater Organisms. *Can. J. Fish. Aquat. Sci.* **2006**, *63* (1), 1–10.
8. Hall, B.D.; Bodaly, R.A.; Fudge, R.J.P.; Rudd, J. W. M.; Rosenberg, D.M. Food as the Dominant Pathway of Methylmercury Uptake by Fish. *Water, Air, Soil Pollut.* **1997**, *100*, 13–24.
9. Boudou, A.; Ribeyre, F. Mercury in the Food Web: Accumulation and Transfer Mechanisms. In *Metal Ions in Biological Systems: Mercury and Its Effects on Environment and Biology*; Sigel, A., Sigel, B., Eds.; Marcel Dekker Inc.: New York, 1997.
10. Peterson, S.A.; Van Sickle, J.; Hughes, R.M. Mercury Concentration in Fish from Streams and Rivers Throughout the Western United States. *Environ. Sci. Technol.* **2007**, *41*, 58–65.